

# Photo Album for Pierce Job 38144 Portland Fire & Rescue, OR Custom Arrow XT Tiller

Wk 17 Production ending August 9, 2024

- The tiller is completing assembly this week at the 41 plant.
- This is the final photo report.



PORTLAND

Pierce



PORTLAND  
FIRE & RESCUE

7



PORTLAND  
FIRE & RESCUE

7

PORTLAND FIRE  
TRUCK 7



PORTLAND  
FIRE

EST. 1883

RESCUE

PORTLAND

*Pierce*



PORTLAND  
FIRE & RESCUE

PORTLAND  
FIRE & RESCUE

PORTLAND  
FIRE & RESCUE



PORTLAND FIRE  
TRUCK 7

PORTLAND  
FIRE & RESCUE

PORTLAND  
FIRE & RESCUE



TRUCK 7

SMITH COUNTY

ENGINE 128

BE ABOVE SELF

AND  
RESCUE







PORTLAND  
FIRE & RESCUE





PORTLAND

PORTLAND  
FIRE & RESCUE



FRANK  
F  
DEPAR



PORTLAND

Pierce



PORTLAND  
FIRE



EST. 1883

RESCUE





PLEASE READ THESE INSTRUCTIONS CAREFULLY BEFORE OPERATING THE VEHICLE. FAILURE TO DO SO MAY RESULT IN SERIOUS INJURY OR DEATH.

1. Read the operator's manual. 2. Read the safety manual. 3. Read the maintenance manual. 4. Read the electrical manual. 5. Read the hydraulic manual. 6. Read the PTO manual. 7. Read the lift manual. 8. Read the winch manual. 9. Read the emergency manual. 10. Read the fire manual. 11. Read the rescue manual. 12. Read the other manual.

For more information, visit [www.ppk.com](http://www.ppk.com).  
© 2010 PPK. All rights reserved.  
1. Visit the [www.ppk.com](http://www.ppk.com) website.

PK4  
28 GALLON HYDRAULIC WHEEL LIFT

1/2  
3/4  
5/6  
7/8  
9/10



FOR INFORMATION ONLY  
DO NOT REMOVE  
OR DESTROY  
THIS LABEL

38 GALLON AERIAL







BACKUP ALARM OVERSIDE    BELL    DIFF LOCK    TILLERMAN NOT SWITCHED    LOCKOUT CHANGES ENGAGED    SWITCHER LOCATOR LIGHTS  
 4-WAY HAZARD    LOCKED DOCKS UNLOCKED    PNO BRAK ON/OFF    SIG BRAK LD    HI MED    TRACTOR CONTROL SYSTEM    AIRBAG HEAT  
**CAUTION**    **CAUTION**  
**WARNING**

WARNING

FLAT  
CONVEX



2007 L60  
1.800.000

BACKUP ALARM OVERRIDE    BELL    DIFF LOCK    TILLERMAN NOT SEATED    LOCKOUT CYLINDERS ENGAGED    STABILIZER LOCATOR LIGHTS

4-WAY HAZARD    LOCKED-DOORS-UNLOCKED    ENG BRK ON/OFF    ENG BRK HI MED LO    TRACTION CONTROL DISABLE    MIRROR HEAT

**CAUTION**  
ENGINE RETARDER  
WHEN VEHICLE IS ON HILL  
OR SLOPING UP/DOWN

**CAUTION**  
MINIMUM SPEED FOR  
GENERATOR IS 550 RPM

**WARNING**  
ALWAYS engage Parking Brake AND  
set engine when using Front Wheel Lock

FLAT

CONVEX

EMERGENCY MASTER ROOF LIGHT FRONT WARNING SIDE WARNING LOWER REAR WARNING UPPER REAR WARNING

EMERGENCY MASTER ROOF LIGHT FRONT WARNING SIDE WARNING LOWER REAR WARNING UPPER REAR WARNING

**PORTLAND**

**FIRE & RESCUE**



7

PORTLAND  
FIRE & RESCUE





WARNING: This equipment is for use only by trained personnel. Improper use may result in injury or death. Read the operator's manual for complete instructions and safety warnings.

WARNING: This equipment is for use only by trained personnel. Improper use may result in injury or death. Read the operator's manual for complete instructions and safety warnings.

EMERGENCY  
S









7

PORTLAND  
FIRE & RESCUE

PORTLAND FIRE  
TRUCK 7

# PORTLAND FIRE

TRUCK 7



# PORTLAND FIRE

TRUCK 7



PORTLAND  
FIRE & RESCUE

PORTLAND  
FIRE & RESCUE



PORTLAND FIRE  
BUICK

PORTLAND  
FIRE & RESCUE





**WARNING**  
Full backup  
When climbing on or off vehicle  
ALWAYS  
Face outside







# TRUCK 7

**CAUTION**  
Do not touch the emergency lights when the truck is running.  
Do not touch the emergency lights when the truck is running.  
Do not touch the emergency lights when the truck is running.  
Do not touch the emergency lights when the truck is running.  
Do not touch the emergency lights when the truck is running.



TRUCK 7

**ATTENZIONE**  
Il conducente deve indossare la cintura di sicurezza.  
Il conducente deve indossare il casco.  
Il conducente deve indossare i guanti.  
Il conducente deve indossare le scarpe.  
Il conducente deve indossare il giaccone.  
Il conducente deve indossare il cappello.  
Il conducente deve indossare i pantaloni.  
Il conducente deve indossare le calze.  
Il conducente deve indossare le scarpe.  
Il conducente deve indossare il giaccone.  
Il conducente deve indossare il cappello.  
Il conducente deve indossare i pantaloni.  
Il conducente deve indossare le calze.  
Il conducente deve indossare le scarpe.

TRUCK 7

CAUTION  
DANGER

SERVICE

Pierce

LAND  
FIRE & RESCUE





SPACE RAY

Pierce

107

**PORTLAND FIRE**  
**TRUCK 7**



PORTLAND FIRE  
TRUCK 7

Ple



CAUTION  
Please see back of unit for  
details on the battery.

Instructions and diagrams for the fire truck's equipment, including a diagram of the fire hose and nozzle.



7

PORTLAND  
FIRE & RESCUE

**PORTLAND**

**FIRE & RESCUE**









PORTLAND  
FIRE



EST. 1883

RESCUE





**TAK-4**  
INDEPENDENT FRONT SUSPENSION

SRS

**WARNING**  
Always use proper tie-down technique. Use the correct tie-down technique to secure the load. Always use proper tie-down technique to secure the load. Always use proper tie-down technique to secure the load. Always use proper tie-down technique to secure the load. Always use proper tie-down technique to secure the load.



- 1/2
- 3/4
- 5/6
- 7/8
- 9/10

**TAK-4**  
INDEPENDENT FRONT SUSPENSION













PORTLAND

Pierce

719751  
719752  
719753  
719754  
719755



**HUGHES FIRE EQUIPMENT**