

# Photo Album for Pierce Job 38183-01 Tucson Fire Department, AZ Custom Enforcer Pumper

Wk 13 Production ending July 12, 2024

- The pumper is completing assembly this week at the 41 plant.
- This is the final photo report.



TUCSON

8755

Pierce

8

Before 2011  
- Outage  
- Fuel  
- Maintenance  
- Safety



ENGINE  
3

**Tucson Fire**



NASA  
85  
2

Tucson Fire



3

Pierce



8755





Tucson Fire

Pierce



8755

Pierce



Tucson Fire

ENGINE  
3

TUCSON  
FIRE  
DEPT

8755

3

TUCSON



NOTICE  
PROPERTY DAMAGE  
AND/OR THEFT

8755

TUCSON

8755

TUCSON  
FIRE  
DEPT

3

Pierce

Pierce



**TUCSON**  
**FIREFIGHTERS**  
**ASSOCIATION**  
**LOCAL 100**

***ENGINE***

***3***





ANCE INSTRUCTIONS  
Please Refer to the Owner's Manual for  
Detailed Information on the Operation of the  
Vehicle and its Components.  
Pierce  
Service Loading Capacity  
11,000 lbs.

Pierce  
FIRE DEPARTMENT  
911  
M.C.

C  
CL



Pierce

CUSTOM BUILT  
FOR  
TUCSON  
FIRE  
DEPT  
Pierce



ULTRA LOW SULFUR  
DIESEL FUEL ONLY



★★★ MADE WITH PRIDE IN ★★★★★★  
**AMERICA**  
★★★★★★ BY PEOPLE WHO CARE ★★★

START

IGNITION

E-M  
OFF  
PANEL  
PANEL

ON  
HI IDLE  
OK-HI IDLE



AMERICA  
OPLES WHO CARE

Instrument cluster containing a speedometer (0-100), fuel gauge (E-F), and various gauges for VOLTS, PSI, and FUEL. Includes a warning light for 'TBA LOW BUS FWR 10% FUEL ONLY'.

Top section of the control panel featuring a central display screen with 'POWER', 'CR-', 'MENU', and 'SEL' buttons below it.

Control panel section with a prominent red 'SIREN BRAKE' button and buttons for 'DEFOST DISABLE' and 'LOAD MANAGER'.

Control panel section with buttons for 'ENG BRK ON/OFF', 'ENG BRK HI/MED/LO', 'SIREN WORN', 'PERIMETER LIGHTS', and 'MIRROR HEAT'. Includes a yellow tag that reads 'PUMP IN DRIVE'.

PULL TO APPLY  
SYSTEM PARK  
HOLD  
PUSH TO RELEASE

Shift selector panel with buttons for 'R', 'MODE', 'N', 'D', and a central button with a right-pointing arrow.

Black control unit with a digital display showing '88', a snowflake icon, and several knobs. The brand name 'Pierce' is visible. Multiple colored wires are connected to the unit.

98183

Height: 10 ft. 5 in.  
Length: 31 ft. 6.5 in.  
GVWR: 42,000 lbs  
21.0 tons  
For load device height above  
if applicable, refer to manual  
(24 x 30724-0)

EMERGENCY MASTER ROOF LIGHT FRONT WARNING SIDE WARNING LOWER REAR WARNING UPPER REAR WARNING

NEW REAR PLAIN OFFSIDE REAR PLAIN OFFSIDE REAR PLAIN OFFSIDE

IGNITION SWITCH

00  
00







TUCSON  
FIRE  
DEPT





**Tucson Fire**





Tucson Fire



3

Pierce



8755





CLASS 1 A.S.O.



3



REAR SCENE LIGHTS



**WARNING**  
Fall hazard  
When climbing on or off vehicle  
ALWAYS:  
Face vehicle.  
Use steps and handholds.  
Maintain three points of contact  
with vehicle (two feet and one  
hand or two hands and one  
foot).  
Keep steps, handholds, and  
midrungs clean.  
Use extra caution when wet, icy  
or slippery.

8755





Tucson Fire



Pierce

ENGINE 3



CLASS 1 190.



Tucson Fire



ENGINE 3

Pierce



ENGINE  
3

Pierce



**ENGINE**

**3**











ENGINE  
3

Pierre







**UCSON**  
**FIREFIGHTERS**  
**DEPT**





TUCSON

8755

Pierce

3



Tucson Fire

ENGINE  
3

TUCSON  
FIRE  
DEPT

8755

TUCSON

3



**HUGHES FIRE EQUIPMENT**