

Photo Album for Pierce Job 38205-02 Capital City Fire and Rescue, AK Custom Arrow XT PUC Pumper

Wk 7 Production ending July 5, 2024

- The cab and pump have been mounted to the chassis and the pumper continues assembly at the Neenah plant.
- The body has completed weld operations and is staged to begin the paint process at the 41 plant.



38205-2

NOVACE

NOVACE



38205

38205-2

38205-2





38205-2

38205-2



38205-2



2892288

Lot 1707



↑↓ ↑↓ ↑↓ [Green] [Green] [Green]

PASS WINDOW DRIVERS CCAB WINDOW PASS CCAB WINDOW MIRROR HEAT DS DEFROST FAN PS DEFROST FAN

⚠ WARNING
DO NOT OPERATE THE
MACHINE WITH THE
COVER REMOVED

OFF

[Red Toggle Switch]

[Green Knob]

[Orange Switch]

[Orange Switch]

[Orange Switch]

[Red Switch]





PASS
WINDOW



DRIVERS
CCAB
WINDOW



PASS
CCAB
WINDOW



MIRROR
HEAT



DS
DEFROST
FAN



PS
DEFROST
FAN





114028
USDOT

STANDARD HORIZON

REVERSE ON/OFF
REVERSE AUTO-APPLY
BRAKE FINE
PARK OFFER
UP DOWN FACTOR
RED LIGHT

STANDARD

FLAT

CORNER

GPS





START

IGNITION

E-M

OFF

PANEL

SPOTTER REQUIRED WHEN BACKING

Key Points:

1. If you cannot see your spotter - IMMEDIATELY STOP; you may need an additional spotter.
2. If in tight or congested areas, you may need an additional spotter.
3. Always follow the signals of your spotter.
4. Never drive without a spotter.
5. Ensure your spotter understands their role.



028
DOT

CONRAD-TRUCK.COM

RETARDER ON/OFF RETARDER AUTO-APPLY WATER PUMP FOAM SYSTEM OFF-ROAD TRACTION TIRE CHAINS

CAUTION
DO NOT ENGAGE RETARDER WHEN VEHICLE IS ON HILL OR IN TURN. SLIPPERY.


CAUTION
DO NOT ENGAGE AUTOMATIC TIRE CHAINS WHEN EXCEEDING 35 MPH.

STOP/ON
MODE
R
N
D
P

FLAT
CONVEX

DANGER
DO NOT OPERATE VEHICLE WITH
HANDS OFF WHEELS

028
507



RETARDER ON OFF RETARDER AUTO-APPLY WATER PUMP FOAM SYSTEM OFF-ROAD TRACTION TIRE CHAINS

CAUTION
DISENGAGE RETARDER WHEN VEHICLE IS ON WET OR SLIPPERY SURFACES.
91-0288

CAUTION
DO NOT ENGAGE AUTOMATIC TIRE CHAINS WHEN EXCEEDING 25 MPH.
91-0181



EMERGENCY MASTER

ROOF LIGHT

FRONT WARNING

SIDE WARNING

LOWER REAR WARNING

UPPER REAR WARNING

LOW INTENSITY LIGHT

AIR HORN

FRONT SCREW

REAR SCREW

RED SCREW

BLUE SCREW

GREEN SCREW

YELLOW SCREW

WHITE SCREW

BLACK SCREW



EMERGENCY
MASTER

ROOF
LIGHT

FRONT
WARNING

SIDE
WARNING

LOWER
REAR
WARNING

UPPER
REAR
WARNING

LOW
INTENSITY
LIGHT

AIR
HORN

**FRONT
SCENE**

**DRIVER
SCENE**

**PASS
SCENE**

**REAR
SCENE**

**LOAD
MANAGER**



POWER

HIGH
OFF
LOW



FUNCTION

LEFT
RIGHT
SPLIT
FLASH

WHELEN[®]
TRAFFIC ADVISOR[™]



DIRECTION INDICATOR



8800680

L2 107







NOTICE



114028
11SD0T



REVERSE ON/OFF
REVERSE AUTO-PARK
WATER PUMP
FARM SYSTEM
OFF-ROAD TRACTION
TIRE CHANGING

CAUTION
DO NOT OPERATE
WITHOUT PROPER
TRAINING

AIR HORN
CYCLE
OFF
MANUAL
WAIL
TONE 1
TONE 2
VOLUME

FEDERAL SIGNAL

EZ TRAC

EZ MODE TRAC

Pierce

HEAT DEF DEF

HOT
COLD

TEMP ↑
TEMP ↓


H
LO


DEF
FAN

H
LO

FAN
FAN

HEAT








288768C

2-9028C

38205-2











2890688



05-2





38205-2

882282

L3







ELECTRONIC
SIREN

AIR HORN

VEHICLE
DATA RECORDER



AIR HORN



ELECTRONIC
SIREN



SPEEDOMETER







38205-2



39066

36205













39066

38205-2



HUGHES FIRE EQUIPMENT