

Photo Album for Pierce Job 38355
The Daniel R. Sayre Memorial Foundation, HI
Custom Enforcer HDR Pumper

Wk 8 Production ending July 5, 2024

- The body has been mounted to the chassis and the pumper continues assembly at the 41 plant.



38355

SAYRE FOUNDATION












White paper pinned to the door panel, likely containing technical specifications or a checklist.

Yellow tag attached to the steering column, possibly a safety or maintenance notice.

Pierce logo and fire department emblem on the seat.

DF-38

028
900T





114028
USDOT

MECHANICAL
SIREN

SIREN BRAKE

SLOWLER
ACTIVATOR

114028



MECHANICAL
SIREN



SIREN BRAKE



HOWLER
ACTIVATION



CONVEY
MANUFACTURED IN CANADA
PARTS LIST
PARTS CENTER
1-800-368-7263

OFF
1
2
3
4
5
6
ON

Auto

The instrument cluster features several gauges: a central RPM gauge (0-25 x100), a large MPH gauge (0-140), a VOLTS gauge (12-16), a PSI gauge (0-120) for FRONT AIR, another PSI gauge (0-120) for REAR AIR, an OIL gauge (0-100), a WATER gauge (170-230 F), a FUEL gauge (E-F), and a DEF gauge (1/4-3/4). A 'ULTRA LOW SULFUR DIESEL FUEL ONLY' label is positioned below the fuel gauge. The cluster is mounted on a light blue dashboard with a 'Auto' logo at the top center.

START

IGNITION

E-M
OFF
PANEL
PANEL

ON
HI
IDLE
OR-H
IDLE

ENG BRK
ON/OFF
ENG
LO/M



OFF
1
2
3
4
5



OFF
1
2
3
4
5
6
ON





ENG BRK
ON/OFF

ENG BRK
LO/MED/HI

MIRROR
HEAT

RETARDER
ON
OFF

FAN CLUTCH
ENGAGED

OFF-ROAD
TRACTION



Allison



Pierce

AUTO

8.8



POWER WINDOW

POWER LOCK

POWER UNLOCK

EMERGENCY
MASTER

ROOF
LIGHT

FRONT
WARNING

SIDE
WARNING

LOWER
REAR
WARNING

UPPER
REAR
WARNING

HIGH
BEAM
FLASH

OPTICOM

FRONT
FLOOR

DRIVER
SEAT

PASS
SEAT

REAR
SEAT

WATER
FLUID
LOW

LOAD
MANAGER

ELECTRIC
SEAT

AIR
SEAT



**EMERGENCY
MASTER**

**ROOF
LIGHT**

**FRONT
WARNING**

**SIDE
WARNING**

**LOWER
REAR
WARNING**

**UPPER
REAR
WARNING**

**HIGH
BEAM
FLASH**

OPTICOM

**FRONT
FLOOD**

**DRIVER
SCENE**

**PASS
SCENE**

**REAR
SCENE**

**WIPER
FLUID
LOW**

**LOAD
MANAGER**

**ELECTRNC
SIREN**

**AIR
HORN**



FEDERAL SIGNAL CORPORATION

PA300 SERIES

HORN



SIREN

MANUAL

RADIO

WAIL

YELP

HI-LO



GAIN



OFF













MALE TRV-1



TEAR DRAIN



TANK TO PUMP

NOVACEL The Novacek for LASER



PUMP BOSS

CHECK ENGINE STOP ENGINE

RPM

STOP!
THE PRESSURE SENSOR CALIBRATION
MAY NEED TO BE PERFORMED
DURING INITIAL INSTALLATION AS
REFERENCED IN THE OPERATING
MANUAL

MEASURE PRESSURE

THROTTLE READY

PRESET

IDLE

TecNis LTD

PANEL LIGHTS

FRONT FLOODLIGHT

DRIVER SIDE SCENE LIGHTS

PASSENGER SIDE SCENE LIGHTS

REAR SCENE LIGHTS

2647210



AIR HORN

OK TO PUMP



WATER



PUMP HOT WHEN LIT

PUSH TO TEST

HALE TRV-L

HUSKY
FOAM SYSTEM

OPERATING INSTRUCTIONS

1. Press "System ON/OFF" to turn ON
2. Select "Tank" or "Draft"
3. Set foam injection rate
4. System Status Lights:

Solid Green - System On
 Solid Red - Valve Position Error
 Solid Yellow - Priming System
 Flashing Green - Fighting Foam
 Flashing Red - Low Tank Level
 Flashing Yellow - Refilling Tank

SYSTEM ON/OFF

888

FOAM PERCENTAGE

INC %

DEC %

HOLDING INTC FOR 3 SECS FOR MANUAL MODE

PRIME

SYSTEM STATUS

Pierce

TANK VISION PRO

F

3/4

1/2

1/4

FOAM A

Pierce

TANK VISION PRO

F

3/4

1/2

1/4

WATER

Pierce

Pressure gauge with a side discharge handle. The gauge has a blue face with markings at 0, 100, 200, 300, and 400. The brand name "Pirtek" is visible at the bottom. A label on the handle reads "SIDE DISCHARGE".

Digital display unit with a screen and buttons. The screen shows a dark image. Buttons include "CLOSE", "PRESET", "OPEN", and "MENU".

Pressure gauge with a side discharge handle. The gauge has a blue face with markings at 0, 100, 200, 300, and 400. The brand name "Pirtek" is visible at the bottom. A label on the handle reads "PASSENGER REAR DISCHARGE".

Pressure gauge with a side discharge handle. The gauge has a blue face with markings at 0, 100, 200, 300, and 400. The brand name "Pirtek" is visible at the bottom. A label on the handle reads "NO. 4 PASSENGER SIDE DISCHARGE".

Control panel with buttons and a handle. Buttons include "REAR SCENE LIGHTS", "AIR HORN", and "OK TO...". A handle with a label "TANK FILL & RE-CIRCULATING LINE" is attached.

Circular side discharge port with a yellow hose. A label on the top reads "NO. 1 DRIVER SIDE DISCHARGE".

MIV Air Bleed control panel. It features a central control unit with buttons for "STOW", "DEPLOY", "STATUS", "EX", "STREAM", "FOG", "EXT", "AUX", "OSC", "CLOSE", "PRESET", and "OPEN". The brand name "ELKHART BRASS" is visible. Two "MIV AIR BLEED" units with blue handles are attached to the sides. Labels "DRIVER MAIN INLET" and "PASSENGER MAIN INLET" are positioned above the units.

Circular side discharge port with a yellow hose. A label on the top reads "NO. 3 DRIVER SIDE DISCHARGE".

Pressure gauge with a side discharge handle. The gauge has a blue face with markings at 0, 100, 200, 300, and 400. The brand name "Pirtek" is visible at the bottom. A label on the handle reads "NO. 3 DRIVER SIDE DISCHARGE".



V MANUAL OVERRIDE



TEST
HALE TRV-L



NO. 1 CROSSLAY
WATER-FOAM

NO. 2 CROSSLAY
WATER-FOAM

NO. 2 PASSENGER
SIDE DISCHARGE
WATER - FOAM

DRIVER SIDE REEL
DISCHARGE WATER-FOAM

PASSENGER SIDE
REEL DISCHARGE
WATER-FOAM





EXTENDER

UP

DOWN

Elkhart Brass



MENU

STOP

STATUS

STREAM

EXT

CLOSE

NO. 1 DRIVER SIDE DISCHARGE

AUX

OSC

PRESET

OPEN

ELKHART BRASS

PUMP DRAIN



PRIMER FIRE PUMP

TRIDENT AIR PRIME

PUSH TO PRIME

NO. 1 DRIVER SIDE DISCHARGE

MANUAL OVERRIDE

CAUTION

OPEN

CLOSE

PRIMING INSTRUCTIONS

FOR ENHANCED PRIMING PERFORMANCE: RUN TRUCK AT 1000 RPM WITH PRIMING



PULL TO OPEN
NO. 1 DRIVER
SIDE DISCHARGE

PULL TO OPEN
NO. 3 DRIVER
SIDE DISCHARGE

DRAFT
↑
FOAM
↓
TANK

Apollo

DRIVER SIDE
AUX. INLET

DRIVER SIDE
AUX. INLET

Pls Reel
Discharge

DRIVER SIDE
REEL DISCHARGE

DRIVER SIDE
REEL DISCHARGE

PULL TO OPEN
MANIFOLD DRAIN

PULL TO OPEN
DRIVER SIDE
AUX. INLET

PULL TO OPEN
NO. 1 CROSSLAY
















1078

INPUT/OUTPUT MODULE

! DANGER !
ACTIVATE

MIVAL MIV MANUAL OVERRIDE
CAUTION
OPEN CLOSE





PASSENGER MAIN INLET
AIR BLEEDER

PULL TO OPEN
PASSENGER REAR
DISCHARGE

PULL TO OPEN
LARGE DIA. PASS.
SIDE DISCHARGE

PULL TO OPEN
NO. 2 CROSSLAY

PULL TO OPEN
NO. 2 PASSENGER
SIDE DISCHARGE

PULL TO OPEN
NO. 4 PASSENGER
SIDE DISCHARGE

PULL TO OPEN
PASSENGER SIDE
AUX. INLET



PULL TO OPEN
PASSENGER SIDE
AUX. INLET























**HOWLER
ACTIVATE**



**ELECTRONIC
SIREN**



**MECH
SIREN**



**SIREN
BRAKE**



FRONT
FLOOD

DRIVER
SCENE

PASS
SCENE

REAR
SCENE

EMERGENCY
MASTER

CLOCK

**FRONT
FLOOD**

**DRIVER
SCENE**

**PASS
SCENE**

**REAR
SCENE**

**EMERGENCY
MASTER**



CLOCK



Bluetooth

JENSEN
HEAVY DUTY

NOAA



MODE
PAIR



BAND
SCROLL



1

2

3

4

5

6

ENTER
INFO



PS
AS



JHD12







HUGHES FIRE EQUIPMENT